

Serial No. 10/824,937
60130-2055; 02MRA0437

AMENDMENT

IN THE CLAIMS:

BEST AVAILABLE COPY

1. (CANCELLED)

2. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~1~~17, wherein the seal will secure the cable harness along the door edge.

3. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~1~~17, wherein the cable harness is secured inside the seal.

4. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~1~~17, wherein the cable harness and the seal are co-extruded.

5. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~1~~17, wherein the seal is molded over the cable harness.

6. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~1~~17, wherein the cable harness is to be secured to the door edge.

7. (CANCELLED)

8. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~7~~14, wherein the seal will secure the cable harness along the door edge.

9. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~7~~14, wherein the cable harness is secured inside the seal.

10. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~7~~14, wherein the cable harness and the seal are co-extruded.

BEST AVAILABLE COPY

Serial No. 10/824,937
60130-2055; 02MRA0437

11. (CURRENTLY AMENDED) The vehicle door module according to claim 714, wherein the seal is molded over the cable harness.
12. (CURRENTLY AMENDED) The vehicle door module according to claim 714, wherein the cable harness is to be secured to the door edge.
13. (CURRENTLY AMENDED) The vehicle door module according to claim 717, further comprising a retainer which retains the cable harness in the region where the window glass module exits the hollow box section.
14. (CURRENTLY AMENDED) A ~~vehicle door module~~ for a vehicle door having a door edge, the vehicle door ~~module~~ comprising:
 - a cable harness for running along the door edge;
 - a seal for masking the cable harness along the door edge;
 - a hollow box section;
 - a window glass module projecting from the hollow box section, wherein the cable harness is proximate to a region where the window glass module exits the hollow box section;
 - and
 - a retainer which retains the cable harness in the region where the window glass module exits the hollow box section, wherein the retainer is a hook.
15. (CURRENTLY AMENDED) The vehicle door module according to claim 13, wherein the retainer is a molding.
16. (CURRENTLY AMENDED) The vehicle door module according to claim 714, further comprising a trim, wherein the cable harness is located between the trim and the hollow box section.

BEST AVAILABLE COPY

Serial No. 10/824,937
60130-2055; 02MRA0437

17. (CURRENTLY AMENDED) A ~~vehicle door module for a~~ vehicle door having a door edge, the vehicle door ~~module~~ comprising:
- a cable harness for running along the door edge;
 - a seal for masking the cable harness along the door edge;
 - a hollow box section;
 - a window glass module projecting from the hollow box section, wherein the cable harness is proximate to a region where the window glass module exits the hollow box section;
 - and
 - a trim, wherein the cable harness is located between the trim and the hollow box section, ~~and the cable harness running behind the trim where the window glass module exits the hollow box section.~~
18. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~46~~17, further comprising a motor and gear mechanism located between the trim and the hollow box section, wherein the motor and gear mechanism is powered from the cable harness.
19. (CURRENTLY AMENDED) The vehicle door ~~module~~ according to claim ~~41~~17, wherein the seal is a molding.